



0854 Blade micrometers



DIN
863-3



Model

- DIN 863-3
- Reading: 0.01 mm
- Reading parts are satin chrome finished

Delivery

- Plastic case
- From measuring range 25 - 50 mm upwards includes a setting standard

Marked	Marked	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		Measuring faces dia. 0.8 x 7 mm						
		0 - 25	0.5	8	17.5	0.004	0854 301	257.00
		25 - 50	0.5	8	17.5	0.004	0854 302	312.00
		50 - 75	0.5	8	17.5	0.005	0854 303	334.00
		75 - 100	0.5	8	17.5	0.005	0854 304	363.00

0855 Micrometers with reduced measuring faces



DIN
863-3



Model

- DIN 863-3
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Locking lever
- Ratchet stop

Delivery

- Plastic case
- From measuring range 25 - 50 mm upwards includes a setting standard

Marked	Marked	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		Measuring surfaces dia. 3 mm, length 8.5 mm						
		0 - 25	0.5	6.5	17.5	0.004	0855 301	185.00
		25 - 50	0.5	6.5	17.5	0.004	0855 302	227.00
		50 - 75	0.5	6.5	17.5	0.005	0855 303	257.00
		75 - 100	0.5	6.5	17.5	0.005	0855 304	272.00

0898 Settings gauges for micrometers



0898 104


Model

- Rod
- Special steel, aged
- Hardened measuring faces
- Tolerance zone js2
- Thermally insulated
- Parallel lapped measuring faces

⌘	⌘	Measuring range mm	Measuring surface dia. mm	Order no.	List price EUR
		25	6.5	0898 101	11.40
		50	6.5	0898 102	19.10
		75	6.5	0898 103	22.60
		100	6.5	0898 104	25.80
		125	6.5	0898 105	29.90
		150	6.5	0898 106	42.30
		175	6.5	0898 107	47.30
		200	6.5	0898 108	52.00
		225	6.5	0898 109	57.00
		250	6.5	0898 110	63.00
		275	6.5	0898 111	67.00
		300	10	0898 112	83.00
		325	10	0898 113	90.00
		350	10	0898 114	96.00
		375	10	0898 115	102.00
		400	10	0898 116	109.00
		425	10	0898 117	116.00
		450	10	0898 118	122.00
		475	10	0898 119	128.00
		500	10	0898 120	135.00
		525	10	0898 121	142.00
		550	10	0898 122	149.00
		575	10	0898 123	156.00
		600	10	0898 124	164.00
		625	10	0898 125	171.00
		650	10	0898 126	177.00

⌘	⌘	Measuring range mm	Measuring surface dia. mm	Order no.	List price EUR
		675	10	0898 127	184.00
		700	10	0898 128	192.00
		725	10	0898 129	199.00
		750	10	0898 130	206.00
		775	10	0898 131	214.00
		800	10	0898 132	221.00
		825	10	0898 133	226.00
		850	10	0898 134	233.00
		875	10	0898 135	242.00
		900	10	0898 136	249.00
		925	10	0898 137	255.00
		950	10	0898 138	263.00
		975	10	0898 139	271.00
		1000	10	0898 140	277.00
	▪	1050	10	0898 142	290.00
	▪	1150	10	0898 146	318.00
	▪	1250	10	0898 150	349.00
	▪	1350	10	0898 154	376.00
	▪	1450	10	0898 158	405.00
	▪	1550	10	0898 162	649.00
	▪	1650	10	0898 166	681.00
	▪	1750	10	0898 170	713.00
	▪	1850	10	0898 174	744.00
	▪	1950	10	0898 178	774.00

0864 Disc micrometers to measure gear tooth



DIN
863-3

Model

- DIN 863-3
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Modul 0.8 - 6
- Ratchet stop
- Hardened measuring faces
- Locking ring
- Friction coupling
- Thermally insulated

Delivery

- Wooden case

✂	⚙	Measuring range mm	Disc dia. mm	Pitch mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
		0 - 25	25	0.5	20	0.004	0864 321	330.00
		25 - 50	25	0.5	20	0.004	0864 322	396.00
		50 - 75	25	0.5	20	0.005	0864 323	429.00
		75 - 100	25	0.5	20	0.005	0864 324	466.00
		100 - 125	25	0.5	20	0.006	0864 325	503.00
		125 - 150	25	0.5	20	0.006	0864 326	539.00
		150 - 175	25	0.5	20	0.007	0864 327	579.00
		175 - 200	25	0.5	20	0.007	0864 328	619.00

0890 Wire thickness micrometer



Model

- Factory standard
- Reading: 0.01 mm
- Readings parts are satin chrome finished
- Ratchet stop
- Carbide measuring faces

Delivery

- Cardboard box

✂	⚙	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Order no.	List price EUR
		0 - 10	0.5	6	18	0890 511	69.00



0849 Precision dial micrometers



0849 501

DIN
863-3

Model

- DIN 863-3
- Reading: 0.01 mm
- Reading on the dial: 1 μ m
- Reading parts are satin chrome finished
- Retraction stroke 1.5 mm

Delivery

- Wooden case

∇	$\frac{5}{4}$	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Order no.	List price EUR
		0 - 25	0.5	7.5	17.5	0849 501	737.00
		25 - 50	0.5	7.5	17.5	0849 502	876.00

0850 Precision dial micrometers



0850 511

DIN
863-3

Model

- DIN 863-3
- Reading: 0.01 mm
- Reading on the dial: 1 μ m
- Reading parts are satin chrome finished
- Retraction stroke 1.2 mm
- Locking lever
- Carbide measuring faces
- Constant measuring force
- Thermally insulated
- Spindle made of hardened stainless steel

Delivery

- Wooden case
- Incl. dial comparator gauge

∇	$\frac{5}{4}$	Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Order no.	List price EUR
		0 - 25	0.5	7.5	17.5	0850 511	582.00
		25 - 50	0.5	7.5	17.5	0850 512	646.00
		50 - 100	0.5	7.5	17.5	0850 514	687.00
		100 - 150	0.5	7.5	17.5	0850 516	734.00
		150 - 200	0.5	7.5	17.5	0850 518	768.00

0822 Disc micrometers



Model

- Factory standard
- Reading: 0.01 mm
- Carbide measuring faces
- Ratchet stop
- Disc dia. 60 mm
- Malleable cast iron frame, lacquered

Delivery

- Wooden case

Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Order no.	List price EUR
Frame depth 50 mm					
0 - 15	1	6.5	20	0822 301	95.00
0 - 25	1	6.5	20	0822 302	144.00
0 - 50	1	6.5	20	0822 303	265.00
Frame depth 100 mm					
0 - 50	1	6.5	20	0822 304	433.00

0824 Micrometers for tube wall measurement



**DIN
863-3**

Model

- DIN 863-3
- Reading: 0.01 mm
- Reading parts are satin chrome finished
- Ratchet stop
- Hardened measuring faces

- Malleable cast iron frame, lacquered

Delivery

- Cardboard box

Measuring range mm	Pitch mm	Spindle dia. mm	Thimble dia. mm	Error limit mm	Order no.	List price EUR
Ball dia. 2.5 mm						
0 - 15	0.5	6.5	20	0.001	0824 302	181.00
Ball dia. 6.5 mm						
0 - 25	0.5	6.5	20	0.001	0824 303	183.00